

SIN COSTURA: Conducción - Uso mecánico
 Altas temperaturas - A53-A106-API etc. - SCH40/80/160
 Procedencia SIDERCA.

CON COSTURA NORMAS ASTM Y API: Diámetro hasta 48"
 Procedencia SIAT

DIMENSIONES Y PESOS TEÓRICOS - TUBOS ASTM A-53

DN	DEXT (mm)		SCHEDULES												
			STD	XS	XXS	10	20	30	40	60	80	100	120	140	160
1/8	10.3	Eps. Kg/m	17.3 0.37	2.41 0.47						1.73 0.37		2.41 0.47			
1/4	13.7	Eps. Kg/m	2.24 0.63	3.03 0.80						2.24 0.63		3.03 0.80			
3/8	17.1	Eps. Kg/m	2.31 0.84	3.20 1.10						2.31 0.84		3.20 1.10			
1/2	21.3	Eps. Kg/m	2.77 1.27	3.73 1.62	7.47 2.55					2.77 1.27		3.73 1.62			4.78 1.95
3/4	26.7	Eps. Kg/m	2.87 1.69	3.91 2.20	7.82 3.64					2.87 1.69		3.91 2.20			5.56 2.90
1	33.4	Eps. Kg/m	3.38 2.50	4.55 3.24	9.09 5.45	2.77 2.09				3.38 2.50		4.55 3.24			6.35 4.24
1 1/4	42.2	Eps. Kg/m	3.56 3.39	4.85 4.47	9.70 7.77	2.77 2.69				3.56 3.39		4.85 4.47			6.35 5.61
1 1/2	48.3	Eps. Kg/m	3.68 4.05	5.08 5.41	10.16 9.56	2.77 3.11				3.68 4.05		5.08 5.41			7.14 7.25
2	60.3	Eps. Kg/m	3.91 5.44	5.54 7.48	11.07 13.44	2.77 3.93				3.91 5.44		5.54 7.48			8.74 11.11
2 1/2	73.0	Eps. Kg/m	5.16 8.63	7.01 11.41	14.02 20.39	3.05 5.26				5.16 8.63		7.01 11.41			9.53 14.92
3	88.9	Eps. Kg/m	5.49 11.29	7.62 15.27	15.24 27.68	3.05 6.46				5.49 11.29		7.62 15.27			11.13 21.35
3 1/2	101.6	Eps. Kg/m	5.74 13.57	8.08 18.64		3.05 7.41				5.74 13.57		8.08 18.64			
4	114.3	Eps. Kg/m	6.02 16.08	8.56 22.32	17.12 41.03	3.05 8.37				6.02 16.08		8.56 22.32	11.13 28.32		13.49 33.54
5	141.3	Eps. Kg/m	6.55 21.77	9.53 30.97	19.05 57.43	3.40 11.56				6.55 21.77		9.53 30.97	12.70 40.28		15.88 49.12
6	168.3	Eps. Kg/m	7.11 28.26	10.97 42.56	21.95 79.22	3.40 13.83				7.11 28.26		10.97 42.56	14.27 54.21		18.26 67.57
8	219.1	Eps. Kg/m	8.18 42.55	12.70 64.64	22.23 107.93	4.78 25.26	6.39 33.32	7.04 36.82	8.18 42.55	10.31 53.09	12.70 64.64	15.09 75.92	18.26 90.44	20.62 100.93	23.01 111.27
10	273.0	Eps. Kg/m	9.27 60.29	12.70 81.53	25.40 155.10	4.19 27.78	6.35 41.76	7.80 51.01	9.53 61.92	12.70 81.53	15.09 95.98	18.26 114.71	21.44 133.01	25.40 155.10	28.58 172.27
12	323.8	Eps. Kg/m	9.52 73.79	12.70 97.44	25.40 186.92	4.57 35.98	6.35 49.71	8.38 65.19	10.31 79.71	14.27 108.93	17.48 132.05	21.44 159.87	25.40 186.92	28.58 208.08	33.32 238.69
14	355.6	Eps. Kg/m	9.52 81.25	12.70 107.40		6.35 54.69	7.92 67.91	9.52 81.25	11.10 90.30	15.09 126.72	19.05 158.11	23.83 194.98	27.79 124.66	31.75 253.58	35.71 281.72
16	406.4	Eps. Kg/m	9.52 93.18	12.70 123.31		6.35 62.65	7.92 77.83	9.52 93.18	12.70 123.31	16.66 160.13	21.44 203.55	26.19 245.57	30.96 286.66	36.53 333.21	40.49 365.38
18	457.2	Eps. Kg/m	9.52 105.11	12.70 139.22		6.35 70.60	7.92 87.75	11.13 122.44	14.27 155.88	19.05 205.84	23.83 254.69	29.36 309.78	34.93 363.76	39.67 408.48	45.24 459.62
20	508.0	Eps. Kg/m	9.52 117.03	12.70 155.13		6.35 78.56	9.52 117.03	12.70 155.13	15.09 183.43	20.62 247.84	26.19 311.19	32.54 381.55	38.10 442.55	44.45 508.15	50.01 564.85
24	609.6	Eps. Kg/m	9.52 140.89	12.70 186.95		6.35 94.47	9.52 140.89	14.27 209.51	17.48 255.25	24.61 355.04	30.96 441.80	38.89 547.36	46.02 639.62	52.37 719.68	59.54 807.68
30	762.0	Eps. Kg/m	9.52 176.67	12.70 234.68		7.92 147.29	12.70 234.68	15.88 292.20							
36	914.4	Eps. Kg/m	9.52 212.45	12.70 282.41		7.92 177.05	12.70 282.41	15.88 351.88	19.05 420.64						
42	1066.8	Eps. Kg/m	9.52 248.23	12.70 330.15				15.88 411.57							
48	1219.2	Eps. Kg/m	9.52 284.01	12.70 377.88				15.88 471.25							



Se comercializan en
 acero al carbono,
 inoxidables
 y todo tipo de aleados.